Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1-20. (cancelled).
- 21. (new) An activity practice device, comprising:
 - a camera;
 - a housing having swingably attached first and second portions;
- a display on said first portion for displaying real-time images received by said camera, said display being located in a plane substantially parallel to a simulated activity playing surface; and

an upper surface on said second portion upon which a user may stand while making a swing, said upper surface being substantially coplanar with said simulated activity playing surface.

22. (new) The device of claim 21 comprising:

a tee adapted to receive a golf ball thereon, said tee being placed at a location, said location being such that a user, when focusing on said ball during the course of making a proper golf swing, is able to simultaneously see said swing in said user's peripheral vision.

- 23. (new) The device of claim 22 wherein said tee is at least proximate said display.
- 24. (new) The device of claim 23 wherein, and said tee is located substantially directly above a portion of said display.

- 25. (new) The device of claim 21 wherein at least a portion of said display is covered by a transparent protective covering.
 - 26. (new) The device of claim 21 wherein the device is portable.
- 27. (new) The device of claim 21 wherein said first and second members are hinged to one another to make them swingably attached.
- 28. (new) The device of claim 21 wherein one of said first and second members includes a handle.
- 29. (new) The device of claim 21 wherein said second member includes markings which suggest foot placement.
- 30. (new) The device of claim 21 wherein one of said first and second members includes a recess for containing said camera.
- 31. (new) A portable device used for practicing a sport, said sport including an action swinging an elongated member by gripping said elongated member at one end and striking a projectile with another end, said device, comprising:

a camera:

a first portion of said portable device connected to a second portion of said portable device, said first portion supporting a display, said display used for displaying real-time images received by said camera, said second portion including an upper surface upon which a user may stand while making a swing;

a target on said device at which a user swings, said target being placed at a location such that a user, when focusing on said target during the course of a swing, is able to peripherally observe said swing in real-time.

- 32. (new) The device of claim 31 wherein said upper surface upon which a user may stand while making a swing is substantially level with a simulated playing surface created immediately above said display.
- 33. (new) The device of claim 31 wherein said second portion is hingeably attached to said first portion.
- 34. (new) The device of claim 31 wherein one of said first and second portions include a recess for containing at least said camera.
- 35. (new) A device for teaching an activity to a user, said activity including swinging an elongated member by gripping said elongated member at one end and striking a projectile with another end, said device comprising:

a camera;

a display having a substantially flat viewing area, said display capable of presenting images received from said camera in real-time onto display enabling the user to simultaneously view themselves while engaging in said activity;

a projectile-receiving striking surface located above said flat viewing area enabling the user to hit said projectile off of said striking surface and then observe a projectile response to said activity.

Application No. 10/697,780 Amendt. dated June 29, 2004 Supplemental Reply to Office Action of April 13, 2004

- 36. (new) The device of claim 35 in which the substantially flat viewing area is embedded in a simulated sport playing surface.
- 37. (new) The device of claim 35 in which the flat viewing area is included in a first portion and a user standing surface is provided on a second portion and said first and second portions are hingeably attached.